

BITUMEN BY BITUROX®



ENGLISH 2022

BITUROX®
BITUMEN OXIDATION TECHNOLOGY

**pör
ner**
PÖRNER GRUPPE

WWW.BITUROX.COM

□ MODERN BITUMEN IS A SPECIAL PRODUCT.

THE WORLD OF TODAY AND TOMORROW NEEDS MORE AND BETTER ROADS...

Roads connect people. Bitumen is the most versatile and qualified material for fast construction of long-life and inexpensive roads. The building industry is also a consumer of extra bitumen qualities used for isolation and roofing felts, construction coatings, bitumen emulsions etc. Biturox® Bitumen products support to create a worldwide network of perfect roads and help to protect people and property from rain and humidity.

Roads have to be inexpensive both in construction and maintenance. They must provide utmost durability. And finally, the used road paving should be easily and completely reprocessible and reusable.

Bituminous binders of highest quality, as a component of road pavement formulations, need to meet all of the criteria listed above. They need to perform excellently under extreme climatic conditions and must stand heavy traffic. Furthermore, drivers prefer the comfort of jointless bitumen roads. With this in mind, bitumen production presents itself as an increasingly attractive and profitable sector of downstream business.

02

Biturox® Plant, Socar

BITUMEN BY BITUROX®



REFINERIES NOW NEED MORE THAN ONLY CRUDE DISTILLATION

Today's petroleum product marketers are confronted with the need to supply top quality bitumen binder to the construction industry at reasonable prices. Another business line of interest is the speciality chemicals sector. An advanced bitumen processing technique is the key to new valuable business relations in the field of premium lubricants and special process products.

The main aim of any large-scale refinery in the world is to produce millions of tons of fast moving products (e.g. gasoline, diesel fuel, kerosene, feedstocks for the petrochemistry etc.) at the lowest possible cost. The usual way to reach this goal is a proper crude mix and a sophisticated refinery. This approach, however, has the consequence that the straight production of high quality bitumen is more and more impractical.

BITUROX® IS THE OPTIMAL TOOL TO SATISFY THE DEMAND FOR TOP-GRADE BITUMEN.



PÖRNER: BITUMEN UPGRADING SPECIALISTS

THE PÖRNER GROUP

With a workforce of more than 550 people, the Pörner Group has made a name for itself as a reliable engineering partner in the industry. Pörner is an expert for bitumen technology providing consulting, process design, application technology, plant engineering and construction for complete bitumen production plants. Pörner develops tailored Biturox® concepts, in its own test and research facilities, to meet international product standards utilizing the available crudes and refinery intermediate feedstock.

With more than 55 licenses for Biturox® Bitumen plants awarded and over 45 Biturox® Bitumen plants constructed, Pörner is the worldwide market leader in bitumen oxidation technology. Pörner designs and realises turn-key bitumen plants including all infrastructures from one source: production units of high capacity, fully automated to operate well and designed to last long.

The Pörner Group, based in Vienna (Austria), is present in ten locations worldwide. All group companies feature a uniform organizational structure, where each of them is able to set up process plants in accordance to the specific local conditions and standards.

BITUROX® BITUMEN MEANS:

**TO THE REFINERY:
PRODUCTION FLEXIBILITY
AND SPECIAL QUALITY**

**TO THE ROAD DEPARTMENT:
ECONOMY OF TOTAL PROCESS**

**TO THE DRIVER:
THE MOST COMFORTABLE ROAD**

□ TAILORED BITUMEN

THREE COLUMNS OF COMPETENCE

The Biturox® Process is the modern and time-tested answer to the need for first class bitumen made from a variety of raw materials. Pörner's expertise includes technological, commercial and market aspects of the industry. Biturox® plants produce bitumen according to various national quality standards (conventional, viscosity or performance based).

PROCESS TECHNOLOGY

The core element of the Biturox® Process is the unequalled loop reactor, which allows to control all important process parameters.

The Biturox® technology proves that the oxidation process can run both effectively and very softly: The valuable resins are formed and preserved in the reaction mixture, and the degradation of organic compounds to coke and the build-up of deposits are minimized.

Features such as safe and automated operation, lowest possible turnaround and minimum maintenance as well as environmental compatibility with full recovery of exothermic energy make the Biturox® Process the most attractive choice for a modern bitumen producer.



DESIGN, RESEARCH & PILOT TESTING

Bitumen quality depends on the harmonized balance of chemical components: saturates, aromatics, resins and asphaltenes.

In more than 45 years and supported by several hundred research lab and pilot tests, using almost any type of crude worldwide - Pörner developed methods of how to formulate and process bitumen: All findings have been stored in a knowledge database.

This enables Pörner to recommend the most efficient and economical way of producing top quality bitumen for almost every feedstock / product combination.



ENGINEERING EXPERIENCE

Pörner knows a lot about bitumen. Based on this vast engineering expertise ideal bitumen plants have been realised all around the world.

All principles of efficiency are applied to the blending, heating and cooling of the bitumen, optimizing instrumentation and automation, minimizing the generation of by-products and emissions, saving and recovering energy as well as keeping maintenance and downtimes at a minimum.

By selecting the ideally suited equipment Pörner minimizes delivery times and makes construction fast and easy. Pörner also takes care of personnel training, commissioning and start-up.





THE MODERN WORLD OF BITUMEN


CHANGES – CHALLENGES – CHANCES

Almost every day, crude prices, qualities and availability undergo radical changes. The number of bitumen producers is falling as some refineries decide to crack or coke their short residues. Thus, bitumen becomes more and more of a specialty business.

While meeting the demands of highway departments and road constructors in public-private partnerships, bitumen producers have to fulfill new performance-oriented bitumen standards (e.g. SHRP). Flexibility and rapid response to new requirements are a must. Modern refineries need to improve the bitumen processing technology, which should fit into their completely automated manufacturing pattern and contribute to the plant's economic efficiency by allowing for higher production flexibility combined with greater independence from the crude type available.

The Biturox® Process is the right solution for the production of both big quantities of standard road paving bitumen binders as well as special "multigrade" and industrial bitumens in a continuous, fully automatic operation and allows for the utilisation of crude baskets beyond the limits of traditional bitumen feedstock selection. The Biturox® Process guarantees the user the highest independence from crude types and best bitumen qualities that are eco-friendly and reasonable in cost. Multigrade bitumen is the most sustainable petroleum product, as roads can be built with a very long service life. Moreover, bitumen is recyclable and the Biturox® Process is a particularly energy-saving process.


This is what the Biturox® system stands for: Better quality from cheaper feedstock components.



MULTIGRADE: COMBINED AND IMPROVED PRODUCT CHARACTERISTICS AT HIGH AND LOW TEMPERATURES

BITUROX® - MULTIGRADE BITUMEN

Multigrade bitumen is a special product for which the Biturox®-based refinery technique is applied. This kind of bitumen shows a reduced thermal susceptibility - meaning that it behaves like a stiff grade at high and like a soft grade at low temperatures. Preferably, multigrades are used as binder for High Stiffness Modulus Asphalt (HSMA) mixes. Applied in the bearing course of the road, these show high consistency against rutting as well as good resistance to fatigue, combined with excellent aging stability. The HSMA concept provides for a longer service life of roads and minimizes cost because of reduced layer thickness.



Biturox® Process Scheme

THE FEEDSTOCK

A variety of high molecular weight refinery components of all chemical configuration types present in most crude oils are suited as feedstock for the Biturox® Process. Besides short residue obtained from vacuum distillation, the following refining products are on the list of bitumen raw material:

- Vacuum residue (short residue) VR
- Pitch from solvent deasphalting process SDA-P
- Aromatic extracts from lubricating oil processing EXT
- Heavy vacuum gas oil HVGO
- Heavy cycle oils from cracking, visbreaking and coking processes (in a limited amount)

THE METHOD

High quality bitumen must show a harmonic distribution of saturates, aromatics, resins and asphaltenes. Biturox® multigrade bitumen is made by the method of composition control.

Several raw material components of different chemical natures are selected and combined to an adequate feed composition. This feedstock blend is introduced to the Biturox® reactor where it is integrated by mild air oxidation under clearly defined and absolutely controlled processing conditions.

BITUROX®-CONTROLLED OPERATION


The Biturox® reactor is the perfect tool for such operation: efficient, controllable and safe. The feed composition is processed very gently under elevated pressure and the amount of asphaltenes is increased minimising the risks of local overheating and coke build-up. Internal reactor cooling enables exact temperature control. The process runs continuously resulting in a consistent and homogenous finished product quality.

□ THE MODERN WORLD OF BITUMEN

REACTOR

The core element of the Biturox® Process is the unequalled loop reactor. In this perfect air-lift reactor with agitator, the thermo-chemical conversion of selected raw material blends by **atmospheric oxygen** takes place continuously and under repeatable conditions. All of the important process parameters (pressure, temperature, flow rates, residence time etc.) are controlled.

- Inner loop type reactor design stands for optimised but also very gentle treatment of the medium
- Operation is very safe due to total utilisation of oxygen



FEEDSTOCK COMPOSITION

Blending of feed components




PRODUCT SECTION

- Cooling of product to storage temperature
- Heat recovery for pre-heating
- Product blending for tailor-made products

BITUROX®
BITUMEN OXIDATION TECHNOLOGY

HEAT RECOVERY

Pre-heating of feedstock to processing temperature



OFF-GAS SECTION

- Recovery of hydrocarbons
- Thermal treatment
- Desulfurization

BATTERY LIMITS

- Feedstock components from storage
- Products to storage and loading
- Utilities: plant and instrument air, electrical power, steam, water



09



RESEARCH AND PILOTING

BITUROX® RESEARCH FACILITIES

After more than 45 years of service to the bitumen industry, the Biturox® research centre is the widely known service provider for the development of high quality bitumen made from various crude and refinery feedstocks. State-of-the-art laboratory and semi-technical research and development facilities, latest analytical methods and the backup of the nearby OMV refinery enabled and promoted Pörner's efforts to stock up the most comprehensive expertise on bitumen making worldwide.

The Biturox® pilot plant is available for practical testing of feedstock or compositions of several components in batch or continuous mode. The results of pilot tests are used as design basis for Biturox® plants (i.e. reactor rating). Reference samples of bitumen can be produced from defined feed compositions ready for further applied testing by the client. With an own pilot plant, the licensee can fully optimize the utilization of feedstock components, blending ratios of components, product quality and/or the production capacity.

All results of basic and applied research, the experience gathered during design, construction, start-up and routine operation of the numerous Biturox® plants, the feedback from the Biturox® licensees, the latest findings of the Biturox® enhancement technique (chemical upgrading of bitumen) and, obviously, the performance reports on the application of Biturox® Bitumen have been collected and stored in a comprehensive database.



Biturox® pilot test plant in Schwechat / Austria



3D model of client Biturox® pilot test unit

10

Biturox® Plant Layout

OBJECTIVE

Many bitumen research institutes over-emphasise the significance of crude oil provenance and compositional classification, simultaneously neglecting to notice and review the chances, which lie in the thermo-chemical modification of an almost unlimited range of crude oil derived feedstock.


The main objectives of the Biturox® research facilities are therefore to optimize the product quality by using the right feed blend, controlling the operation conditions and improving the chemical composition of the bitumen.

The ultimate goal is to satisfy the needs of the bitumen market with superior qualities, available at reasonable prices.

DESIRED CHARACTERISTICS	PROBLEMS TO SOLVE
Stiffness against rutting (high temp. deformation)	Chemical composition – asphaltene content
Fatigue resistance (low temp. cracking)	Chemical composition – ratio asphaltene / resin
Stability against fretting	Chemical balance
Adhesive properties	Chemical composition – ratio asphaltene / resin
Resistance to ageing	Chemical balance, stabilization by oxidation
Compatibility with polymers	Chemical balance
Ability to emulsify	Chemical composition – ratio asphaltene / resin

RESULTS

The Biturox® technology is a representative example how applied and scientific research can be conducted effectively, to the benefit of many people, driving on good roads, living in comfortable housing and saving cost at the same time.





PROJECT REALIZATION


The Pörner Group is the most experienced designer and constructor of bitumen processing plants worldwide. The huge collection of data in electronic form is the basis for an expedient and cost-saving project realization in every single step. The scope and steps of the realization of a “turn-key grass-root” project include the following:

- Preliminary studies, information & data collection
- Feasibility study
- Evaluation of raw material, laboratory & pilot plant testing
- Evaluation of the technical, commercial, legal and environmental conditions
- Project management
- Process design & basic engineering
- Detail engineering (civil, mechanical, electric & instrumentation)
- Procurement & logistics of equipment and material
- Engagement and supervision of contractors
- General on-site supervision of the construction work
- Commissioning of the complete plant
- Staff training
- Acceptance test
- Final documentation



Biturox® plant SAMIR, Morocco, 2011

PÖRNER BITUROX® PLANTS: TODAY'S STANDARD FOR BITUMEN OXIDATION




12

Biturox® Plant, Russia

It takes many steps and the cooperation of several departments, to ensure that a project succeeds. The Pörner Group offers all engineering services for the planning and construction of modern process plants: all from a single source. As a process-oriented plant engineering company, the Pörner Group supports customers right from the very concept all the way to the turn-key completion of every phase of the project. Each project is tailored to the specific customer requirements.

Every Pörner office has a complete organizational structure with all disciplines to execute plant engineering and construction projects. Teams are put together depending on the requirements of the individual project to meet the specific needs of the client. The customer has only one contact for complete solution and coordination, the Pörner project manager.

WITH PÖRNER THE WORLD OF BITUROX® BITUMEN IS YOURS





REFERENCES



BITUROX® PLANT AL-WATANIYA

Biturox® plant with a cut-back-bitumen-blending station for production of special road paving bitumen

Pörner scope:

License, basic engineering, detail engineering, procurement and supply of process units, site supervision, commissioning support, training and documentation

Client:

Al-Wataniya Group

Capacity:

1.500 TPD

Location:

Samawah / Iraq

Year: 2020



BITUROX® PLANT SOCAR

Construction of a turn-key Biturox® plant for production of road paving bitumen and industrial bitumen including tank storage and truck filling stations

Pörner scope:

Basic & detail engineering, procurement, supply of key components, license, construction supervision, commissioning support, documentation

Client:

SOCAR - Heydar Aliyev Oil Refinery

Capacity:

1.200 TPD

Location:

Baku / Azerbaijan

Year: 2018



BITUROX® PLANT HMEL

Construction of a Biturox® plant for the production of special road paving bitumen

Pörner scope:

Basic engineering, supply of key components, license, construction supervision, commissioning support, training, documentation

Client:

HMEL (HPCL-Mittal Energy Ltd.)

Capacity:

1.500 TPD

Location:

Bathinda / India

Year:

2018



BITUROX® PLANT NZNP

Construction of a Biturox® plant with 2 reactors for production of road paving bitumen, including newest generation off-gas treatment and heat recovery components

Pörner scope:

Basic & detail engineering, procurement, supply of key components, license, construction supervision, commissioning support, documentation

Client:

OJSC Novoshaktinskij Zavod Nefteproduktov (NZNP)

Capacity:

2 x 900 TPD

Location:

Novoshaktinskij / Russia

Year:

2014



BITUROX® PLANT PARCO

Construction of a Biturox® plant for the production of road paving and industrial bitumen

Pörner scope: Basic & detail engineering, procurement, supply of key components, license, construction supervision, commissioning support, documentation
Client: Pak-Arab Refinery Ltd (PARCO)
Capacity: 800 TPD
Location: Qasba Gurjat / Pakistan
Year: 2012



BITUROX® PLANT SAMIR

Turn-key Biturox® plant including tank farm and truck filling station

Pörner scope: General planning incl. license, financing support, project management, basic engineering, detail engineering, procurement and delivery of the entire plant, construction supervision, commissioning, training and documentation

Client: Société Anonyme Marocaine de l'Industrie du Raffinage (SAMIR)

Capacity: 800 TPD

Location: Mohammédia / Morocco

Year: 2011



BITUROX® PLANT CEPESA

Biturox® plant for special road paving bitumen

Pörner scope: License, basic engineering, detail engineering, supply of core components, commissioning support & start-up, personnel training and documentation

Client: Compania Española de Petróleos, S.A.U. (CEPSA)

Capacity: 1.080 TPD

Location: La Rabida / Spain

Year: 2011

FURTHER REFERENCES

Plant	Client	Location / Country	Year
Biturox® plant Kuwait	KNPC - Kuwait National Petroleum Company	Kuwait	2022
Biturox® plant Barauni	IOCL - Indian Oil Corporation Ltd.	Barauni / India	2022
Biturox® plant Nizhny Novgorod	LUKOIL - Nizhegorodnefteorg-sintez LLC	Nizhny Novgorod / Russia	2021
Biturox® plant Grozny	Rosneft - OJSC Grozneftegaz	Grozny / Russia	2021
Biturox® plant Ras Tanura	Saudi Aramco	Ras Tanura / Saudi Arabia	2021
Biturox® plant Kirkuk	Rania International Co.	Kirkuk / Iraq	2020
Biturox® plant Chittagong	BPC Bangladesh Petroleum Corporation	Chittagong / Bangladesh	2019

PÖRNER INGENIEURGESELLSCHAFT MBH
AUSTRIA

Hamburgerstrasse 9,
1050 Vienna, Austria
Phone: +43 5 05899-0
Fax: +43 5 05899-99
Email: vienna@poerner.at
Web: www.biturox.com
www.poerner.at